Under Regulation (EC) No 2020/878



ARTIFICIAL TEETH

Odilux, Odipal, Odident, Odimax, Ortolux Top and Eledent

Date of revision Revision number 11.10.2022

11

# SECTION 1 Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade product name: Artificial teeth of the brands Odilux, Odipal, Odident, Odimax, Ortolux Top and Eledent

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Use of the substance or mixture:* Material for dental prostheses.

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier Unión Dental, S.A. "unidesa • odi".

Address Pº de la Estación, 4. 28550, Tielmes, Madrid, Spain

Telephone 0034 91 873 76 30 Fax 0034 91 874 64 90

Emailunidesa@unidesa-odi.comWebwww.unidesa-odi.comInformation areaRegulatory Affairs

#### 1.4. Emergency telephone number

0034 91 874 60 00 / Spanish Toxicology Information Service: 0034 91 562 04 20

#### SECTION 2 Hazard identification

#### 2.1. Classification of the substance or mixture

## According to Regulation (EC) No 1272/2008

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

### 2.2. Label elements

Not applicable, product not classified as hazardous according to Regulation (EC) No 1272/2008

#### 2.3. Other hazards

Avoid inhalation of grinding dust. No risks under normal conditions of use.

**Results of PBT and vPvB assessment PBT:** Not applicable **vPvB:** Not applicable

#### **SECTION 3** Composition / information on ingredients

#### 3.1. Substances

# 3.2. Mixtures

Chemical formulation: Mixture.

**Description:** Acrylic copolymer based on Polymethylmethacrylate (PMMA)

Hazardous ingredients: None.

Under Regulation (EC) No 2020/878

unidesa · odi

ARTIFICIAL TEETH

Odilux, Odipal, Odident, Odimax, Ortolux Top and Eledent

Date of revision Revision number 11.10.2022

11

#### **SECTION 4** First aid measures

#### 4.1. Description of first aid measures

**General instructions** No special measures required

**Inhalation** Supply fresh air in case of inhalation of milling dust.

**Skin contact** Not necessary. Generally, the product does not irritate the skin.

**Eye contact** Rinse with water.

**Ingestion** Seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information is available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information is available.

#### **SECTION 5** Firefighting measures

#### 5.1. Extinguishing media

Extinguishing media dry, foam, CO<sub>2</sub>, extinguishing powder and water spray.

#### 5.2. Special hazards arising from the substance or mixture

The combustion gases are mostly methyl methacrylate vapours and carbon monoxide.

#### 5.3. Advice for firefighters

Protective equipment: Protective equipment with breathing system, avoiding inhalation of fumes.

#### SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid inhalation of dust generated during milling.

# 6.2. Environmental precautions

No special measures are necessary.

#### 6.3. Methods and material for containment and cleaning up

Collect the product mechanically.

#### 6.4. Reference to other sections

See section 7 for safe handling.

See section 8 for personal protection.

See section 13 for product disposal.

Under Regulation (EC) No 2020/878



ARTIFICIAL TEETH Date of revision 11.10.2022

Odilux, Odipal, Odident, Odimax, Ortolux Top and Eledent

Revision number

11

## SECTION 7 Handling and storage

#### 7.1. Precautions for safe handling

This product should only be handled by trained personnel. For use in dentistry only. In case of dust formation, provide a suction system.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements to be met by warehouses and containers

Normal temperature and humidity. The packaging contains wax which may melt.

#### Indications in case of joint storage

No special measures are necessary.

#### Additional information on storage

Avoid high temperatures and exposure to direct sunlight.

#### 7.3. Specific end use(s)

Auxiliary agents for the production of dental prostheses.

# SECTION 8 Exposure controls / personal protection

### 8.1. Control parameters

Components with limit values that require monitoring in the workplace: Does not contain.

#### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment (PPE)

**Eye protection** Wear protective goggles when trimming, reworking or polishing the product with a

rotating instrument.

**Skin protection** Not necessary.

**Respiratory protection** If dust is produced wear filter mask.

**Hand protection** Not necessary.

**Additional information** 

Always work under hygienic conditions.

#### **SECTION 9** Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Solid

Colour Similar to natural teeth

Odour Odourless

Boiling point Not determined Melting point Not determined

Under Regulation (EC) No 2020/878

unidesa · *odi* 

**ARTIFICIAL TEETH** Date of revision 11.10.2022

Odilux, Odipal, Odident, Odimax, Ortolux Top and Eledent

Revision number

11

Flash point Not applicable **Explosion hazard** Not foreseen

Self-flammability Oxidising properties Viscosity

Density

Solubility (Water) Insoluble

pH value Vapour pressure at 20°C

#### 9.2. Other information

No further relevant information is available.

#### Stability and reactivity SECTION 10

#### 10.1. Reactivity

No further relevant information is available.

#### **Chemical stability**

The product is stable, does not decompose under normal handling and storage conditions.

#### Possibility of hazardous reactions

None known.

#### Conditions to avoid

No further relevant information is available.

#### Incompatible materials 10.5.

Avoid exposure to strong oxidising agents, acids and alkalis.

# **Hazardous decomposition products**

Not considered during normal storage. In case of thermal decomposition, combustible and irritating vapours of mainly methyl methacrylate are released, with release of toxic vapours.

#### **Toxicological information SECTION 11**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# **Acute toxicity**

On the basis of the available data, the classification criteria are not met.

### Skin corrosion or irritation

On the basis of the available data, the classification criteria are not met.

Under Regulation (EC) No 2020/878

unidesa · odi

**ARTIFICIAL TEETH** 

Odilux, Odipal, Odident, Odimax, Ortolux Top and Eledent

Date of revision Revision number 11.10.2022

11

#### Serious eye damage or irritation

On the basis of the available data, the classification criteria are not met.

#### **Sensitising effects**

On the basis of the available data, the classification criteria are not met.

#### Inhalation hazard

On the basis of the available data, the classification criteria are not met.

#### 11.2. Information on other hazards

Toxicological data have been determined specifically for this type of product. These products have been evaluated and declared as biocompatible and non-toxic.

## **SECTION 12** Ecological information

#### 12.1. Toxicity

Not covered. The product is insoluble in water. No environmental hazards are foreseen.

### 12.2. Persistence and degradability

The product is not considered to be readily biodegradable.

#### 12.3. Bioaccumulation potential

No further relevant information is available.

## 12.4. Mobility in soil

No further relevant information is available.

#### 12.5. Results of PBT and vPvB assesment

**PBT:** Not applicable **vPvB:** Not applicable

#### 12.6. Endocrine disrupting properties

No further relevant information is available.

## 12.7. Other adverse effects

No further relevant information is available.

### **SECTION 13** Disposal considerations

There are no special requirements. The product can be recycled or the material can be incinerated in accordance with local legislation.

#### 13.1. Waste treatment methods

Uncontaminated or cleanable packaging can be sent for recycling. Packaging that cannot be cleaned should be disposed of in the same way as the product it contains.

Under Regulation (EC) No 2020/878

unidesa · odi

ARTIFICIAL TEETH

Odilux, Odipal, Odident, Odimax, Ortolux Top and Eledent

Date of revision Revision number 11.10.2022

11

# **SECTION 14** Transport information

#### 14.1. UN number or ID number

Not applicable, the product is not considered hazardous according to applicable transport regulations.

#### 14.2. UN proper shipping name

Not applicable, the product is not considered hazardous according to applicable transport regulations.

#### 14.3. Transport hazard class(es)

Not applicable, the product is not considered hazardous according to applicable transport regulations.

#### 14.4. Packing group (ADR, IMDG, IATA)

Not applicable, the product is not considered hazardous according to applicable transport regulations.

#### 14.5. Environmental hazards

Not applicable, the product is not considered hazardous according to applicable transport regulations.

#### 14.6. Special precautions for user

Not applicable, the product is not considered hazardous according to applicable transport regulations.

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable, the product is not considered hazardous according to applicable transport regulations.

# **SECTION 15** Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific to the substance or mixture

*Other regulations, limitations and prohibitions:* The product is a medical device according to Regulation (EU) 2017/745.

#### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for the product.

#### **SECTION 16** Other information

The information in this data sheet is based on current knowledge and current EU and national laws. The product must not be used for purposes other than those specified. It is always the responsibility of the user to take appropriate measures in order to comply with the requirements of current legislation. The information contained in this safety data sheet is only a description of the safety requirements of the product and is not to be considered as a guarantee of its properties. For further details on the use and shelf life of the product, please refer to the packaging, catalogues and/or instructions for use.

#### \*Changes from the previous version

This fact sheet contains changes from the previous version in section(s): 4, 6 and 7.

Under Regulation (EC) No 2020/878

unidesa · odi

**ARTIFICIAL TEETH** 

Odilux, Odipal, Odident, Odimax, Ortolux Top and Eledent

Date of revision Revision number 11.10.2022

11

# **Abbreviations and acronyms**

PBT: Persistent, Bioaccumulative and Toxic Substance

vPvB: very Persistent and very Bioaccumulative

ADR: European Agreement concerning the Carriage of Dangerous Goods by Road.

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association IMO: International Maritime Organisation

Contact

Technical Director José Luis Rodríguez Blanco

Telephone 0034 91 873 76 30

Email joseluis@unidesa-odi.com

----- End of document